ELSEVIER

Clinica Chimica Acta 287 (1999) 177–178

www.elsevier.com/locate/clinchim

Author index

Volume 287 (1999)

Abe, A., see Yamada, S. **287**, 29
Amuro, Y., see Fujita, T. **287**, 99
Asai, S., see Ohta, H. **287**, 131

Badger, T.M., see Cimino, C.O. **287**, 69
Bravo-Osorio, L.M., see Soares, R.P.S. **287**, 157
Bydlowski, S.P., see Soares, R.P.S. **287**, 157

Cham, B.E., Smith, J.L., Colquhoun, D.M., Interdependence of serum concentrations of vitamin K_1, vitamin E, lipids, apolipoprotein A_1, and apolipoprotein B: importance in assessing vitamin status **287**, 45
Chamone, D.A.F., see Soares, R.P.S. **287**, 157
Cimino, C.O., Shelnutt, S.R., Ronis, M.J.J., Badger, T.M., An LC–MS method to determine concentrations of isoflavones and their sulfate and glucuronide conjugates in urine **287**, 69
Colquhoun, D.M., see Cham, B.E. **287**, 45

Ermilova, V.D., see Gershtein, E.S. **287**, 59

Fowler, C.J., Sjöberg, E., Tiger, G., Serotonin stimulation of calcium mobilisation in human platelets: choice of units of measurement, effects of age and tobacco use, and correlation with serotonin$_{2A}$ receptor density **287**, 1
Fujita, T., Amuro, Y., Hada, T., Higashino, K., Plasma levels of pipecolic acid, both L- and D-enantiomers, in patients with chronic liver diseases, especially hepatic encephalopathy **287**, 99
Fujita, T., Hada, T., Higashino, K., Origin of D- and L-pipecolic acid in human physiological fluids: a study of the catabolic mechanism to pipecolic acid using the lysine loading test **287**, 145

Gershtein, E.S., Shatskaya, V.A., Ermilova, V.D., Kushlinsky, N.E., Krasil'nikov, M.A., Phospatidylinositol 3-kinase expression in human breast cancer **287**, 59

Hada, T., see Fujita, T. **287**, 99
Hada, T., see Fujita, T. **287**, 145
Hidaka, H., see Okumura, N. **287**, 163
Higashino, K., see Fujita, T. **287**, 99
Higashino, K., see Fujita, T. **287**, 145
Hirayama, N., see Nishiya, Y. **287**, 111
Hobbs, G.A., see Kaplan, I.V. **287**, 173

Inoue, K., see Yamada, S. **287**, 29

Kangawa, K., see Ohta, H. **287**, 131
Kaplan, I.V., Hobbs, G.A., Levinson, S.S., Corrigendum to "Simpler technique for measuring oxidative susceptibility to heparin affinity column isolation of lipoproteins". [Clinica Chimica Acta 283 (1999) 89–103] **287**, 173
Katsuyama, T., see Okumura, N. **287**, 163
Kędziora-Kornatowska, K., Effect of angiotensin convertase inhibitors and AT1 angiotensin receptor antagonists on the development of oxidative stress in the kidney of diabetic rats **287**, 19
Kitamura, K., see Ohta, H. **287**, 131
Krasil'nikov, M.A., see Gershtein, E.S. **287**, 59
Kubo, N., see Yamada, S. **287**, 29
Kubono, K., see Yamada, S. **287**, 29
Kushlinsky, N.E., see Gershtein, E.S. **287**, 59

Levinson, S.S., see Kaplan, I.V. **287**, 173

Magnanelli, A.C., see Soares, R.P.S. **287**, 157

PII: S009-8981(99)00155-2

Mizutani, Y., Nakano, Y., Yamada, S., Samejima, T., A new assay method of γ-glutamyltransferase with 4-aminobenzoate hydroxylase from *Agaricus bisporus* as a coupling enzyme **287**, 83
Morishita, R., see Yamada, S. **287**, 29

Nadler, J.L., see Rahbar, S. **287**, 123
Nakano, Y., see Mizutani, Y. **287**, 83
Nishiya, Y., Hirayama, N., Alteration of substrate affinity of *Streptomyces* cholesterol oxidase for application to the rate assay of cholesterol in serum **287**, 111

Ogihara, T., see Yamada, S. **287**, 29
Ohta, H., Tsuji, T., Asai, S., Tanizaki, S., Sasakura, K., Teraoka, H., Kitamura, K., Kangawa, K., A simple immunoradiometric assay for measuring the entire molecules of adrenomedullin in human plasma **287**, 131
Oki, K., see Okumura, N. **287**, 163
Okumura, N., Terasawa, F., Ueno, I., Oki, K., Yamauchi, K., Hidaka, H., Tozuka, M., Okura, M., Katsuyama, T., Genetic analyses in homozygous and heterozygous variants of lactate dehydrogenase-B (H) subunit -LD-B Matsumoto I and II (LD-B W323R)- **287**, 163
Okura, M., see Okumura, N. **287**, 163

Rahbar, S., Nadler, J.L., A new rapid method to detect inhibition of Amadori product generated by δ-gluconolactone **287**, 123
Ronis, M.J.J., see Cimino, C.O. **287**, 69

Sakurabayashi, I., see Yamada, S. **287**, 29
Samejima, T., see Mizutani, Y. **287**, 83
Sasakura, K., see Ohta, H. **287**, 131
Shatskaya, V.A., see Gershtein, E.S. **287**, 59
Shelnutt, S.R., see Cimino, C.O. **287**, 69
Sjöberg, E., see Fowler, C.J. **287**, 1
Smith, J.L., see Cham, B.E. **287**, 45
Soares, R.P.S., Magnanelli, A.C., Bravo-Osorio, L.M., Chamone, D.A.F., Bydlowski, S.P., Rapid and non-isotopic detection of intron 18 polymorphism of the factor VIII gene **287**, 157

Tanizaki, S., see Ohta, H. **287**, 131
Teraoka, H., see Ohta, H. **287**, 131
Terasawa, F., see Okumura, N. **287**, 163
Tiger, G., see Fowler, C.J. **287**, 1
Tozuka, M., see Okumura, N. **287**, 163
Tsuji, T., see Ohta, H. **287**, 131

Ueno, I., see Okumura, N. **287**, 163

Yamada, S., Inoue, K., Morishita, R., Ogihara, T., Kubono, K., Kubo, N., Abe, A., Sakurabayashi, I., A new Lp(a) assay that is unaffected by apo(a) size polymorphism **287**, 29
Yamada, S., see Mizutani, Y. **287**, 83
Yamauchi, K., see Okumura, N. **287**, 163

ELSEVIER

Clinica Chimica Acta 287 (1999) 179–181

www.elsevier.com/locate/clinchim

Subject index

Volume 287 (1999)

Adrenomedullin; Immunoradiometric assay; Monoclonal antibody **287**, 131

Age; Serotonin$_{2A}$ receptors; Thrombin; Human platelets; Calcium; Tobacco use; Fura-2; Lysergic acid diethylamide **287**, 1

Alteration of substrate affinity; Cholesterol oxidase; Protein engineering; Mutational effects; Rate assay of cholesterol **287**, 111

4-Aminobenzoate hydroxylase; γ-Glutamyltransferase; Ultraviolet spectrometric determination **287**, 83

γ-Aminobutyric acid; Pipecolic acid; Enantiomer; Hepatic encephalopathy and intestinal bacteria **287**, 99

Anti-apo(a) K4 type 5–protease domain monoclonal antibody; Lp(a); Apo(a); Immunoassay **287**, 29

Antioxidants; Diabetes; Kidney; Enalapril; Losartan; Oxidative stress; Lipid peroxidation **287**, 19

Apo(a); Lp(a); Immunoassay; Anti-apo(a) K4 type 5–protease domain monoclonal antibody **287**, 29

Apolipoprotein A$_1$; Vitamin E; Vitamin K$_1$; Apolipoprotein B; Cholesterol **287**, 45

Apolipoprotein B; Vitamin E; Vitamin K$_1$; Apolipoprotein A$_1$; Cholesterol **287**, 45

Breast cancer; Phospatidylinositol 3-kinase; Western blotting; Epidermal growth factor receptor; Mammary gland **287**, 59

Calcium; Serotonin$_{2A}$ receptors; Thrombin; Human platelets; Age; Tobacco use; Fura-2; Lysergic acid diethylamide **287**, 1

Cholesterol oxidase; Protein engineering; Alteration of substrate affinity; Mutational effects; Rate assay of cholesterol **287**, 111

Cholesterol; Vitamin E; Vitamin K$_1$; Apolipoprotein B; Apolipoprotein A$_1$ **287**, 45

Daidzein; Soy; Isoflavones; Sulfates; Genistein; LC–MS **287**, 69

Diabetes; Kidney; Enalapril; Losartan; Oxidative stress; Lipid peroxidation; Antioxidants **287**, 19

Electrophoretic variant; Lactate dehydrogenase; Isoenzymes; Genetic variant; Missense mutation **287**, 163

Enalapril; Diabetes; Kidney; Losartan; Oxidative stress; Lipid peroxidation; Antioxidants **287**, 19

Enantiomer; Pipecolic acid; γ-Aminobutyric acid; Hepatic encephalopathy and intestinal bacteria **287**, 99

Epidermal growth factor receptor; Phospatidylinositol 3-kinase; Western blotting; Breast cancer; Mammary gland **287**, 59

PII: S009-8981(99)00156-4

Factor VIII; Hemophilia A; Polymorphism; Gene; SSCP **287**, 157

Fura-2; Serotonin$_{2A}$ receptors; Thrombin; Human platelets; Calcium; Age; Tobacco use; Lysergic acid diethylamide **287**, 1

Genetic variant; Lactate dehydrogenase; Isoenzymes; Electrophoretic variant; Missense mutation **287**, 163

Gene; Hemophilia A; Factor VIII; Polymorphism; SSCP **287**, 157

Genistein; Soy; Isoflavones; Sulfates; Daidzein; LC–MS **287**, 69

δ-Gluconolactone; Glycation; Glycated hemoglobin; Glycation assay; Inhibitors of glycation **287**, 123

γ-Glutamyltransferase; 4-Aminobenzoate hydroxylase; Ultraviolet spectrometric determination **287**, 83

Glycated hemoglobin; Glycation; Glycation assay; Inhibitors of glycation; δ-Gluconolactone **287**, 123

Glycation assay; Glycation; Glycated hemoglobin; Inhibitors of glycation; δ-Gluconolactone **287**, 123

Glycation; Glycated hemoglobin; Glycation assay; Inhibitors of glycation; δ-Gluconolactone **287**, 123

Hemophilia A; Factor VIII; Polymorphism; Gene; SSCP **287**, 157

Hepatic encephalopathy and intestinal bacteria; Pipecolic acid; Enantiomer; γ-Aminobutyric acid **287**, 99

Human platelets; Serotonin$_{2A}$ receptors; Thrombin; Calcium; Age; Tobacco use; Fura-2; Lysergic acid diethylamide **287**, 1

Immunoassay; Lp(a); Apo(a); Anti-apo(a) K4 type 5–protease domain monoclonal antibody **287**, 29

Immunoradiometric assay; Adrenomedullin; Monoclonal antibody **287**, 131

Inhibitors of glycation; Glycation; Glycated hemoglobin; Glycation assay; δ-Gluconolactone **287**, 123

Isoenzymes; Lactate dehydrogenase; Electrophoretic variant; Genetic variant; Missense mutation **287**, 163

Isoflavones; Soy; Sulfates; Genistein; Daidzein; LC–MS **287**, 69

Isomer; Pipecolic acid; Peroxisomal disorders; Plants and intestinal bacteria **287**, 145

Kidney; Diabetes; Enalapril; Losartan; Oxidative stress; Lipid peroxidation; Antioxidants **287**, 19

LC–MS; Soy; Isoflavones; Sulfates; Genistein; Daidzein **287**, 69

Lactate dehydrogenase; Isoenzymes; Electrophoretic variant; Genetic variant; Missense mutation **287**, 163

Lipid peroxidation; Diabetes; Kidney; Enalapril; Losartan; Oxidative stress; Antioxidants **287**, 19

Losartan; Diabetes; Kidney; Enalapril; Oxidative stress; Lipid peroxidation; Antioxidants **287**, 19

Lp(a); Apo(a); Immunoassay; Anti-apo(a) K4 type 5–protease domain monoclonal antibody **287**, 29

Lysergic acid diethylamide; Serotonin$_{2A}$ receptors; Thrombin; Human platelets; Calcium; Age; Tobacco use; Fura-2 **287**, 1

Mammary gland; Phospatidylinositol 3-kinase; Western blotting; Epidermal growth factor receptor; Breast cancer **287**, 59

Missense mutation; Lactate dehydrogenase; Isoenzymes; Electrophoretic variant; Genetic variant **287**, 163

Monoclonal antibody; Adrenomedullin; Immunoradiometric assay **287**, 131

Mutational effects; Cholesterol oxidase; Protein engineering; Alteration of substrate affinity; Rate assay of cholesterol **287**, 111

Oxidative stress; Diabetes; Kidney; Enalapril; Losartan; Lipid peroxidation; Antioxidants **287**, 19

Peroxisomal disorders; Pipecolic acid; Isomer; Plants and intestinal bacteria **287**, 145

Phospatidylinositol 3-kinase; Western blotting; Epidermal growth factor receptor; Breast cancer; Mammary gland **287**, 59

Pipecolic acid; Enantiomer; γ-Aminobutyric acid; Hepatic encephalopathy and intestinal bacteria **287**, 99

Pipecolic acid; Isomer; Peroxisomal disorders; Plants and intestinal bacteria **287**, 145

Plants and intestinal bacteria; Pipecolic acid; Isomer; Peroxisomal disorders **287**, 145

Polymorphism; Hemophilia A; Factor VIII; Gene; SSCP **287**, 157

Protein engineering; Cholesterol oxidase; Alteration of substrate affinity; Mutational effects; Rate assay of cholesterol **287**, 111

Rate assay of cholesterol; Cholesterol oxidase; Protein engineering; Alteration of substrate affinity; Mutational effects **287**, 111

SSCP; Hemophilia A; Factor VIII; Polymorphism; Gene **287**, 157

Serotonin$_{2A}$ receptors; Thrombin; Human platelets; Calcium; Age; Tobacco use; Fura-2; Lysergic acid diethylamide **287**, 1

Soy; Isoflavones; Sulfates; Genistein; Daidzein; LC–MS **287**, 69

Sulfates; Soy; Isoflavones; Genistein; Daidzein; LC–MS **287**, 69

Thrombin; Serotonin$_{2A}$ receptors; Human platelets; Calcium; Age; Tobacco use; Fura-2; Lysergic acid diethylamide **287**, 1

Tobacco use; Serotonin$_{2A}$ receptors; Thrombin; Human platelets; Calcium; Age; Fura-2; Lysergic acid diethylamide **287**, 1

Ultraviolet spectrometric determination; 4-Aminobenzoate hydroxylase; γ-Glutamyltransferase **287**, 83

Vitamin E; Vitamin K$_1$; Apolipoprotein B; Apolipoprotein A$_1$; Cholesterol **287**, 45

Vitamin K$_1$; Vitamin E; Apolipoprotein B; Apolipoprotein A$_1$; Cholesterol **287**, 45

Western blotting; Phospatidylinositol 3-kinase; Epidermal growth factor receptor; Breast cancer; Mammary gland **287**, 59